

# PURE-V Virus Reduction System

VRS-40

Virus protection for medical professionals


# ARE YOU A MEDICAL OFFICE STAFF, NURSE OR A DOCTOR?

# LET THE VRS-40 PROTECT YOU

Virus protection is of paramount importance for medical office staff, nurses and doctors, particularly in the face of infectious diseases that pose a constant threat to their health and well-being. Medical personnel play a crucial role on the front lines of healthcare, caring for patients and coming into close contact with individuals who may be carrying contagious viruses.

To safeguard themselves and prevent the transmission of infections, they must adhere to rigorous virus protection measures. PURE-V VRS-40 is a powerful protective tool as it reduces and eliminates airborne viruses and prevents infection and the spread of contagious viruses, by using biological inactivation technology.







# SAFE FOR IMMUNO-COMPROMISED INDIVIDUALS

The VRS-40 is a non-additive air treatment system. It will not add any components to the air, such as positive or negative ions, fragrance, or free radicals (TiO2) that may affect the health of some sensitive individuals and therefore keeps the air pure, natural and neutral.

### PRODUCT SPECIFICATIONS

The VRS-40 was designed and built for virus reduction in office cubicles and small office space used by the medical support teams who greets and interact with patients.

#### **PRODUCT TYPE**

Plug-and-Play virus reduction and inactivation appliance.

#### **LAMPS**

8 cold-cathode mercury-vapor 253.7nm UVC lamps.

#### **TOTAL UVC WATTAGE**

40 Watts

#### **TOTAL UVC INTENSITY**

120 mW/CM^2

#### **LAMPS LIFE SPAN**

Approximately 18,000 Hours (over 8 years when operates 8 hours a day/ 5 days a week)

#### **RECOMMENDED SPACE COVERAGE**

Small room or office cubical, about 25-70 SQ FT

#### **INSTALLATION**

Wall-mount or hung on cubical partition wall

#### **DIMENSIONS**

25.25" H x 7.50" W x 3.00" D (642 mm x 190 mm x 76 mm)

#### **WEIGHT**


8.1Lb

#### **POWER CONSUMPTION**

45 Watts

24VDC/ 3A, 100-240VAC Adapter (included)
CE, FCC, NOM NYCE and GS Certified

DESIGNED AND ASSEMBLED IN THE USA



## CONTACT US

info@pure-v.com

www.pure-v.com

